

GEORGIA DEPARTMENT OF CORRECTIONS

Facility: _____

MENTAL HEALTH SERVICES

Name: _____

Informed Consent for Mental Health Medication

GDC#: _____

DOB: _____

Race: _____ Sex: _____

Any Atypical Antipsychotic Informed Consent

MEDICATION:	ANTICIPATED DOSAGE RANGE:
TARGET SYMPTOMS AND BENEFITS: Alternative treatments may include other medications, activity therapies, and talk therapies.	
SIDE EFFECTS/RISKS OF THIS TREATMENT: Sedation, dizziness, blurred vision, irregular heartbeats or palpitations, tremor, nausea, constipation, difficulty urinating, weight gain. These medications may cause a lot of weight gain. This may be due to increased appetite or to changes in your body chemistry. Weight gain can lead to diabetes and increased cholesterol and other lipids, which may increase the risk for cardiovascular disease. There may be a slight risk of involuntary body movements, which could be permanent. In rare cases, these medications may result in life-threatening changes in body temperature (high fever), rigidity and coma. The major concern with Clozaril is the danger of developing changes in blood cells. Suddenly stopping this medication may cause medical problems. Other conditions to watch out for are:	
RISKS OF REFUSING THIS TREATMENT include, but are not limited to: Continuation or worsening of your symptoms and distress (including periods of mental confusion, intense agitation, paranoia, hallucinations, and loss of contact with reality), becoming violent towards others or yourself, and becoming less able to care for yourself.	
LENGTH OF CARE: The medication usually begins to act within several days. Reliable benefits require regular, long term usage. Your doctor may adjust the dosage during treatment, in most cases, to the lowest dosage that is needed. Your doctor may order laboratory tests from time to time to make sure that the medication is being given properly and is not causing medical problems.	
NOTIFICATION: You have the right to stop taking this medication at any time, but we strongly recommend that you talk to your doctor first. If you decide to stop taking the medication, it will not affect your ability to receive other MH services but may affect your ability to remain on your current MH level if you decompensate. Avoid excessive heat or dehydration while taking this medication. For female patients: Let your doctor know if there is a possibility that you are pregnant. I understand that by signing this form I am agreeing to be treated with this medication. Mental health staff have given me information about this treatment, including the reasons I am being treated and the information on this form. I have had a chance to ask any questions about my treatment I wished to ask. I understand that I can discuss any other questions I might have about my treatment with the doctor and that a copy of this form will be given to me.	
Date: _____	Patient Signature: _____
Date: _____	Prescribing Practitioner Signature: _____
	Name/Title Stamp:
I have been advised to take this medication, but I am unwilling to take it as prescribed. The risks of not taking this medication have been explained to me.	
Date: _____	Patient Signature: _____
Date: _____	Prescribing Practitioner Signature: _____
	Name/Title Stamp: